Energy performance certificate (EPC)			
Bangkok Express 81 London Road BRIGHTON BN1 4JF	Energy rating	Valid until: 17 March 2030	
	U	Certificate number: 0310-0730-8412-4797-2002	
Property type		A3/A4/A5 Restaurant and Cafes/Drinking Establishments and Hot Food takeaways	
Total floor area	53 square metres		

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.

A+ Under 0 Net zero CO2 Α 0-25 В 26-50 С 51-75 D 85 D 76-100 Ε 101-125 F 126-150 Over 150 G

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

If typical of the existing stock



Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	234.74
Primary energy use (kWh/m2 per year)	1389

29 B

84 D

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/0224-9778-1740-3400-1003)</u>.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Rebecca Cheney
Telephone	07967381384
Email	beckycheney1@gmail.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Quidos Limited
Assessor's ID	QUID207214
Telephone	01225 667 570
Email	info@quidos.co.uk

About this assessment

Employer	GEA
Employer address	51 Dyke Road, Brighton, BN1 3JA
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	17 March 2020
Date of certificate	18 March 2020